



# 100 Malaysian Timbers

|                  |     |
|------------------|-----|
| FOREWORD         | vii |
| ACKNOWLEDGEMENTS | ix  |
| INTRODUCTION     | 1   |

## HEAVY HARDWOODS

|   |    |
|---|----|
| Balau/Selangan Batu ( <i>Shorea spp.</i> )                | 8  |
| Balau, Red/Selangan Batu Merah ( <i>Shorea spp.</i> )     | 10 |
| Belian ( <i>Eusideroxylon zwageri</i> )                   | 12 |
| Bitis ( <i>Madhuca spp.</i> and <i>Palaquium spp.</i> )   | 14 |
| Chengal ( <i>Neobalanocarpus heimii</i> )                 | 16 |
| Giam ( <i>Hopea spp.</i> )                                | 18 |
| Kekatong ( <i>Cynometra spp.</i> )                        | 20 |
| KerANJI ( <i>Dialium spp.</i> )                           | 22 |
| Malagangai ( <i>Eusideroxylon malagangai</i> )            | 24 |
| Merbau ( <i>Intsia spp.</i> )                             | 26 |
| Penaga ( <i>Mesua ferrea</i> )                            | 28 |
| Penyau ( <i>Upuna borneensis</i> )                        | 30 |
| Resak ( <i>Vatica spp.</i> and <i>Cotylelobium spp.</i> ) | 32 |
| Tembusu ( <i>Fagraea spp.</i> )                           | 34 |

## MEDIUM HARDWOODS

|   |    |
|---|----|
| Alan Batu ( <i>Shorea albida</i> )                              | 38 |
| Bekak ( <i>Amoora spp.</i> )                                    | 40 |
| Derum ( <i>Cratoxylum spp.</i> )                                | 42 |
| Entapuloh ( <i>Teijsmanniodendron spp.</i> )                    | 44 |
| Geriting/Teruntum ( <i>Lumnitzera spp.</i> )                    | 46 |
| Kandis ( <i>Garcinia spp.</i> )                                 | 48 |
| Kapur ( <i>Dryobalanops spp.</i> )                              | 50 |
| Kasai ( <i>Pometia spp.</i> )                                   | 52 |
| Kayu Malam ( <i>Diospyros spp.</i> )                            | 54 |
| Kedang Belum/Tulang Daing ( <i>Milletia spp.</i> )              | 56 |
| Kelat ( <i>Eugenia spp.</i> )                                   | 58 |
| Keledang ( <i>Artocarpus spp.</i> )                             | 60 |
| Kempas ( <i>Koompassia malaccensis</i> )                        | 62 |
| Keruing ( <i>Dipterocarpus spp.</i> )                           | 64 |
| Keruntum ( <i>Combretocarpus rotundatus</i> )                   | 66 |
| Kulim ( <i>Scorodocarpus borneensis</i> )                       | 68 |
| Mata Ulat ( <i>Kokoona spp.</i> )                               | 70 |
| Mempening ( <i>Lithocarpus spp.</i> and <i>Quercus spp.</i> )   | 72 |
| Mengkulang/Kembang ( <i>Heritiera spp.</i> )                    | 74 |
| Meransi ( <i>Carallia spp.</i> )                                | 76 |
| Merawan/Gagil ( <i>Hopea spp.</i> )                             | 78 |
| Merbatu ( <i>Parinari spp.</i> and <i>Maranthes corymbosa</i> ) | 80 |

|  |     |
|--|-----|
| Merpauh ( <i>Swintonia spp.</i> )                        | 82  |
| Mertas ( <i>Ctenolophon parvifolius</i> )                | 84  |
| Nyalin ( <i>Xanthophyllum spp.</i> )                     | 86  |
| Pauh Kijang ( <i>Irvingia malayana</i> )                 | 88  |
| Perah ( <i>Elateriospermum tapos</i> )                   | 90  |
| Petaling ( <i>Ochanostachys amentacea</i> )              | 92  |
| Punah ( <i>Tetramerista glabra</i> )                     | 94  |
| Ranggu ( <i>Koordersiodendron pinnatum</i> )             | 96  |
| Rengas ( <i>Gluta spp.</i> and <i>Melanochyla spp.</i> ) | 98  |
| Semayur ( <i>Shorea inaequilateralis</i> )               | 100 |
| Senumpul ( <i>Hydnocarpus spp.</i> )                     | 102 |
| Simpoh ( <i>Dillenia spp.</i> )                          | 104 |
| Tampoi ( <i>Baccaurea spp.</i> )                         | 106 |
| Tualang ( <i>Koompassia excelsa</i> )                    | 108 |

## LIGHT HARDWOODS

|   |     |
|---|-----|
| Alan Bunga ( <i>Shorea albida</i> )   | 112 |
| Ara ( <i>Ficus spp.</i> )   | 114 |
| Babai ( <i>Saraca spp.</i> )  | 116 |
| Bayur ( <i>Pterospermum spp.</i> )  | 118 |
| Berangan ( <i>Castanopsis spp.</i> )  | 120 |
| Bintangor ( <i>Calophyllum spp.</i> )   | 122 |
| Binuang ( <i>Octomeles sumatrana</i> )  | 124 |
| Dedali ( <i>Strombosia javanica</i> )   | 126 |
| Durian ( <i>Coelostegia spp.</i> , <i>Durio spp.</i> and <i>Neesia spp.</i> ) | 128 |
| Geronggang/Serungan ( <i>Cratoxylum spp.</i> )                                | 130 |
| Gerutu ( <i>Parashorea spp.</i> )   | 132 |
| Jelutong ( <i>Dyera spp.</i> )  | 134 |
| Jongkong ( <i>Dactylocladus stenostachys</i> )                                | 136 |
| Kedondong (Species of Burseraceae)  | 138 |
| Kelumpang ( <i>Sterculia spp.</i> )   | 140 |
| Kembang Semangkok ( <i>Scaphium spp.</i> )                                    | 142 |
| Ketapang ( <i>Terminalia spp.</i> )   | 144 |
| Kungkur ( <i>Pithecellobium spp.</i> )  | 146 |
| Laran ( <i>Anthocephalus chinensis</i> )                                      | 148 |
| Machang ( <i>Mangifera spp.</i> )   | 150 |
| Mahang ( <i>Macaranga spp.</i> )  | 152 |
| Medang (Species of Lauraceae)   | 154 |
| Melantai/Kawang ( <i>Shorea spp.</i> )  | 156 |
| Melunak ( <i>Pentace spp.</i> )   | 158 |
| Mempisang/Karai (Species of Annonaceae)                                       | 160 |
| Meranti Bakau ( <i>Shorea uliginosa</i> )                                     | 162 |
| Meranti, Dark Red/Obar Suluk ( <i>Shorea spp.</i> )                           | 164 |
| Meranti, Light Red/Red Seraya ( <i>Shorea spp.</i> )                          | 166 |
| Meranti, White/Melapi ( <i>Shorea spp.</i> )                                  | 168 |

|  |     |
|--|-----|
| Meranti, Yellow/Yellow Seraya ( <i>Shorea spp.</i> )   | 170 |
| Merbulan ( <i>Blumeodendron spp.</i> )   | 172 |
| Mersawa ( <i>Anisoptera spp.</i> )   | 174 |
| Nyatoh (Species of Sapotaceae)   | 176 |
| Pelajau ( <i>Pentaspadon spp.</i> )  | 178 |
| Penarahan (Species of Myristicaceae)   | 180 |
| Perupok ( <i>Lophopetalum spp.</i> )   | 182 |
| Petai ( <i>Parkia spp.</i> )   | 184 |
| Pulai ( <i>Alstonia spp.</i> )   | 186 |
| Ramin ( <i>Gonystylus spp.</i> )   | 188 |
| Rubberwood ( <i>Hevea brasiliensis</i> )   | 190 |
| Sengkuang ( <i>Dracontomelum dao</i> )   | 192 |
| Sentang ( <i>Azadirachta excelsa</i> )   | 194 |
| Sepetir ( <i>Sindora spp.</i> and <i>Copaifera palustris</i> )                               | 196 |
| Sesendok ( <i>Endospermum spp.</i> )   | 198 |
| Terap ( <i>Artocarpus spp.</i> , <i>Paratocarpus spp.</i><br>and <i>Antiaris toxicaria</i> ) | 200 |
| Terentang ( <i>Camptosperma spp.</i> )   | 202 |
| White Seraya ( <i>Parashorea spp.</i> )  | 204 |

## SOFTWOODS

|   |     |
|---|-----|
| Damar Minyak ( <i>Agathis borneensis</i> )                      | 208 |
| Podo ( <i>Podocarpus spp.</i> )                                 | 210 |
| Sempilor ( <i>Dacrydium spp.</i> and <i>Phyllocladus spp.</i> ) | 212 |

## APPENDIX

|  |     |
|--|-----|
| I Kiln Drying Schedules  | 215 |
| II Selected Timbers Showing Differences in<br>Appearance Between the Radial<br>and Tangential Surfaces | 217 |
| III Bibliography   | 223 |